

# T - Series Telescopic Boom

## T40N



### Ultra Compact Design

- Narrow Width, only 5 ft. 9 in (1.75 m)
- Zero Tail Swing
- Short 3 Section Boom
- More Compact Than Articulating Booms
- More Reach than an Articulating Boom
- Smooth Hydrostatic Drive
- Diesel Power
- 500# Capacity




**MAN & MATERIAL LIFT ENGINEERING**

## Specifications

Specifications	T40N
Platform Capacity - Unrestricted	500 lbs. (227 kg)
Platform Size	60 in x 36 in x 43.5 in (1.52 x x.91 x 1.1 m)
Platform Height	40 ft (12.2 m)
Working Height	46 ft (14.0 m)
Length (stowed)	15 ft 6 in (6.25 m)
Height (stowed)	6 ft 11 in (2.11 m)
Width	5 ft 9 in (1.75 m)
Outside Turning Radius	14 ft 6 in (4.4 m)
Wheel Base	6 ft (1.8 m)
Gross Weight	17,500 lbs (7.938 kg)
Gradeability	11° (20%)
Fuel Tank Capacity	35 gals (132 L)
Hydraulic Tank Capacity	35 gals (132 L)
Travel Speed	0-3 mph (0-4.8km/h)
Tires Foam Filled	31/11.5-16.5 Load Range C
Turret Tail Swing	Zero
Ground Clearance	7.5 in (19.05 cm)

*Specifications Subject to Change without prior notice*

## Load Range Diagram



## Optional Equipment

- Gas/LP Power
- Air Line
- Rotating Beacon
- Motion Alarm
- Horn
- Spark Arrest Muffler
- 4 Wheel Drive



T40N/6-04

**MLE**  
 MAN & MATERIAL LIFT ENGINEERING  
 5707 S. Pennsylvania Avenue  
 Cudahy, WI 53110  
 Phone: 414-486-1760  
 Fax: 414-486-1763  
[www.manliftengineering.com](http://www.manliftengineering.com)  
[sales@manliftengineering.com](mailto:sales@manliftengineering.com)